

When you receive your decal, the clear plastic side is the **BACKING** which you will later remove when installing the decal. The hazy paper side is the **APPLICATION** tape on the **FRONT** of the decal.

Genuine

**KarTattooz.com**<sup>TM</sup>

Decal

[www.kartattooz.com](http://www.kartattooz.com)

Apply to clean, non-porous surface. Squeegee front of decal. Place this side up, remove backing slowly. Decal will remain on front mask tape. Position over install site, carefully place it onto the surface. Use a credit card to squeegee the decal onto the surface, through the mask. Apply lots of pressure. Repeat several times. Slowly remove mask diagonally from upper left. If decal starts lifting, re-squeegee. For a photo guide to install see [www.kartattooz.com/installfotoguide.php](http://www.kartattooz.com/installfotoguide.php).

First thing you should do before installing your decal is to place it on a flat surface, like a table, and **SQUEEGEE** it (use a credit card if you did not order a squeegee tool) and force the Application Tape more firmly onto the decal. Squeegee repeatedly. Over and over and over.





Use the masking tape to create a hinge, taping your decal exactly where you want it to be installed on your vehicle. Tape up the entire decal, with the backing.



Use the masking tape "hinge" and flip up your decal, so you can see the backing


Very carefully start to remove the clear backing, rolling it diagonally off of your decal while the decal is still taped in position by the hinge. If the decal tries to stay on the backing, put the backing down, flip the decal over, and squeegee HARDER this time.



Then continue to remove the backing


keep peeling off the clear backing, exposing the sticky side of the decal. Try not to touch the decal itself...you can touch the Application tape if you need to hold it down as you pull the backing off





Use two hands (I had to take the photo with my other hand) and very carefully bring the decal on its mask over the area where it will be installed, and lay it down on the surface,

Use your squeegee to FIRMLY squeegee the decal onto the surface, thru the masking tape. Go over it several times, very firmly. VERY FIRMLY.



Squeegee, squeegee, squeegee. Then  
squeegee again.



then squeegee some more





**Now grab a corner and start peeling away the masking and application tapes.**


peel away slowly, at a diagonal. If the decal does not stick to the surface below, re-squeegee thru the tape.



continue peeling slowly



keep peeling



finally pull it all off

